

*Bill, living with transthyretin  
amyloidosis, and his wife, Maura*



## A Novel Strategy for Off-the-shelf T Cell Therapies Evading Host T Cell and NK Cell Rejection

**Yong Zhang, Ph.D.**

European Society of Gene and Cell Therapy Annual Congress


October 20, 2021

# Intellia Therapeutics' Legal Disclaimer


This presentation contains “forward-looking statements” of Intellia Therapeutics, Inc. (“Intellia”, “we” or “our”) within the meaning of the Private Securities Litigation Reform Act of 1995. These forward-looking statements include, but are not limited to, express or implied statements regarding Intellia’s beliefs and expectations regarding our: plans to nominate an allogeneic cell therapy candidate in 1H 2022; plans to advance and complete preclinical studies for our research programs; development of our modular platform to advance our complex genome editing capabilities; further development of our proprietary genome editing tools for research and therapeutic development, including sequential editing and base editing; presentation of additional data at upcoming scientific conferences, and other preclinical data in 2021; advancement and expansion of our CRISPR/Cas9 technology to develop human therapeutic products; ability to maintain and expand our related intellectual property portfolio, and avoid or acquire rights to valid intellectual property of third parties; ability to demonstrate our platform’s modularity and replicate or apply results achieved in preclinical studies in any future studies, including human clinical trials; ability to develop other in vivo or ex vivo cell therapeutics of all types using CRISPR/Cas9 technology; ability to optimize the impact of our collaborations on our development programs; statements regarding the timing of regulatory filings and clinical trial execution, including dosing of patients, regarding our development programs; potential commercial opportunities, including value and market, for our product candidates; our expectations regarding our use of capital and other financial results during 2021; and our ability to fund operations beyond the next 24 months.

Any forward-looking statements in this presentation are based on management’s current expectations and beliefs of future events, and are subject to a number of risks and uncertainties that could cause actual results to differ materially and adversely from those set forth in or implied by such forward-looking statements. These risks and uncertainties include, but are not limited to: risks related to our ability to protect and maintain our intellectual property position; risks related to valid third party intellectual property; risks related to our relationship with third parties, including our licensors and licensees; risks related to the ability of our licensors to protect and maintain their intellectual property position; uncertainties related to regulatory agencies’ evaluation of regulatory filings and other information related to our product candidates; uncertainties related to the authorization, initiation and conduct of studies and other development requirements for our product candidates; the risk that any one or more of our product candidates, including those that are co-developed, will not be successfully developed and commercialized; the risk that the results of preclinical studies or clinical studies will not be predictive of future results in connection with future studies; and the risk that our collaborations with Regeneron or our other ex vivo collaborations will not continue or will not be successful. For a discussion of these and other risks and uncertainties, and other important factors, any of which could cause Intellia’s actual results to differ from those contained in the forward-looking statements, see the section entitled “Risk Factors” in Intellia’s most recent annual report on Form 10-K as well as discussions of potential risks, uncertainties, and other important factors in Intellia’s other filings with the Securities and Exchange Commission (“SEC”). All information in this presentation is as of the date of the release, and Intellia undertakes no duty to update this information unless required by law.

# Building a Full-Spectrum Genome Editing Company



# Three Immune Concerns Must Be Addressed by Allogeneic Cell Therapies



1

## Graft versus host disease (GvHD)

T cell receptor (TCR) from allogeneic T cells recognizes and kills recipient (host) cells.

*Largely solved with knockout (KO) of endogenous TCR*

2

## Rejection via host T cells

Human Leukocyte Antigen (HLA) molecules must match between donor and recipient to prevent rejection from:

- Host CD8 (HLA class I) T cells
- Host CD4 (HLA class II) T cells

3

## Rejection via host natural killer (NK) cells

NK cells will attack cells that lack HLA-I expression or have low HLA-I

*No validated solution yet*

# Immune Concerns Unaddressed by Current Allogeneic Solutions

| Approach                                            | Employ intense lymphodepletion regimen | Knockout (KO) HLA-I (B2M) | KO HLA-I & express NK inhibitor (HLA-E) | <div>Intellia's Approach</div> <div>KO HLA-II &amp; Receptor X*</div> |
|-----------------------------------------------------|----------------------------------------|---------------------------|-----------------------------------------|-----------------------------------------------------------------------|
| Avoid rejection of cell therapy by host CD8 T cells | ✓                                      | ✓                         | ✓                                       | ✓                                                                     |
| Avoid rejection of cell therapy by host CD4 T cells | ✓                                      | ✗                         | ✗                                       | ✓                                                                     |
| Avoid rejection of cell therapy by host NK cells    | ✓                                      | ✗                         | ✗                                       | ✓                                                                     |
| Avoid profound immunosuppression                    | ✗                                      | ✓                         | ✓                                       | ✓                                                                     |


5

\*Receptor X: Undisclosed target

B2M: Beta-2-microglobulin

HLA-E: Human leukocyte antigen class E



# Intellia's Differentiated Allogeneic Approach Aims to Address All Three Immune Concerns



## Key Advantages

- Approach is applicable to CAR and TCR
- Solves for host NK and T cell rejection
- Avoids long-term immunosuppression

# Achieved High Editing Efficiency in Allo TCR-T Cells and Allo CAR-T Cells by Leveraging Our Proprietary Multiplex Editing Platform



**Allo TCR-T Cells  
(4 KOs + Insertion)  
~80% final yield**

- Viability: 98.1% (N=3)
- Expansion: 279.5-fold (N=3)

Each dot represents one donor

- Editing efficiency for each gene target ( $\geq 95\%$ ) allows for ~80% final yield of engineered TCR-T cells with all edits
- Similar high yield (~86%) was observed in Allo CAR-T cells (data not shown)
- Intellia's proprietary sequential editing platform minimizes translocations between on-target loci
  - Refer to Intellia's presentation by Dr. Aaron Prodeus (Poster P205) for more information on the platform


1

# No GvHD Detected in Mice Engrafted with Allo TCR-T Cells

Luciferase<sup>+</sup>  
Unedited or Allo T cells



IVIS imaging to detect  
Luciferase<sup>+</sup> T cell signal






- After exposure to host (mouse, xeno) antigens, Allo TCR-T cells do not show uncontrolled proliferation, and mice are protected from GvHD in contrast to unedited T cells
- Allo T cells persist for at least 90 days in recipient mice

## 2

## Allo T Cells Do Not Elicit Host CD4 or CD8 T Cell Responses

### Mixed Lymphocyte Reaction (MLR) Assay





- Knockout of Receptor X and HLA-II is equally inert as knockout of HLA-I and HLA-II in terms of triggering the activation and proliferation of host CD4<sup>+</sup> or CD8<sup>+</sup> T cells

## 3

## Intellia's Allo T Cells are Protected from NK Cell Killing

*In vitro* NK cytotoxicity assay




- Intellia's Allo T cells are protected from human NK cell elimination
- T cells lacking HLA class I are killed by NK cells; an effect only partially rescued by insertion of HLA-E

### 3 Allo TCR-T Cells Resist NK Cell Killing for at Least 90 Days *In Vivo*



#### B2M Knockout T cells

>90% B2M KO T cells killed by NKs within 24h




### 3 Allo TCR-T Cells Resist NK Cell Killing for at Least 90 Days *In Vivo*




#### B2M Knockout T cells

>90% B2M KO T cells killed by NKs within 24h




#### Allo TCR-T Cells

Minimal Allo T cell rejection in the presence of NK cells




# Allo T Cells Have Comparable Tumor Cell Killing Activity to Autologous T Cells

*In vitro* T cell  
cytotoxicity assay




Readout: Tumor cell lysis

## Allo CAR-T Cells



## Allo TCR-T Cells



# Key Takeaways

- **Intellia has developed a differentiated allogeneic platform**
  - Highly efficient TCR knockout eliminates GvHD issue
  - Allogeneic solution avoids recognition by CD4 and CD8 T cells
  - Allogeneic T cells are protected from NK cell killing *in vitro* and *in vivo*
  - Approach does not depend on immune suppression of the host
- **Allogeneic platform is readily deployable for TCR-T and CAR-T cell therapy**
  - Allo TCR-T and CAR-T cells have comparable anti-tumor activity to autologous counterparts *in vitro*
- **Expect to nominate Intellia's first allogeneic development candidate in 1H 2022**



Summer 2019

# It Takes a Village!



Q + A

# Intellia

THERAPEUTICS